TRANSFERS FOR PERSONALISING TEXTILES & OBJECTS

print my transfer

by seripress

2026 CATALOGUE

Products & Prices





www.seripress.com

seripress HEAT TRANSFERS

50 YEARS OF EXPERTISE…

SERIPRESS, a family business located in Saint-Marcellin (France) is one of Europe's leading manufacturers of textile markings.

Thanks to the trust of our clients and the commitment of our teams, we are developing high-quality printing techniques as well as innovative tools such as our e-commerce site **printmytransfer.com.**

Our site, designed for professionals in textile customisation, lets you order your transfers directly, 24 hours a day, 7 days a week.

TEXTILE TRANSFERS

Screen-printed transfer



Laser cut transfer



DTF transfer



OBJECT TRANSFER

UV DTF Sticker



> Free samples upon request

• OUR QUICK MANUFACTURING OPTIONS

Same Day DTF:
Same-day dispatch for all DTF orders placed between 1 am and 12 am
Capacity of 300 A2 sheets, with a limit of 30 **A2** sheets per order or equivalent.
(50% extra costs on transfer prices)

24H RUSH:
Next day dispatch for all orders placed between 1am to 3pm (SeriQuadri & SeriWhite) **or between 8am to 12am** (SeriOne white & SeriOne black)
(Limited to 2 items per order and 300 sheets per item, with a 40% extra costs on transfer prices)
• **Available for techniques: SeriQuadri, SeriWhite, SeriOne white, SeriOne black**

48H EXPRESS:
Shipments within two working days for all orders placed between 9 am and 23 pm
(Limited to 2 items per order and 300 sheets per item, with a 25% extra costs on transfer prices)
• **Available for techniques: SeriQuadri, SeriWhite**

• DELIVERY

Free shipping over 300 € with **DHL FEDEX** and **pick-up point**

printmytransfer.com

E-commerce site for transfers

AN INNOVATIVE CUSTOMER INTERFACE

> Immediate quotes
> Automatic file analysis
> Simulation of the result on the colour(s) of your textiles
> Instant digital proofing
> Human Chat



Acceptable file formats:

PDF · AI · PSD · EPS

• PRESS YOUR TEXTILES...
...Just a few seconds with a heat press

PrintMyTransfer is a distributor of SEFA presses

Sefa

IN JUST A FEW CLICS

- ✓ Create your account
- ✓ Get access to exclusive web rates
- ✓ Create free instant quotes
- ✓ Human-assisted live chat
- ✓ Benefit from the expertise of our graphic designers upon request
- ✓ Order your transfers

ECO

> Made in France
> **OEKO-TEX®** certified
> without PVC, phtalates or BPA

Read our CSR report online

A NEW DIMENSION...

2026 NEW PRODUCTS

WELCOME TO A NEW DIMENSION!

This year, we are opening up a brand-new playground, with major innovations designed to simplify your production, boost your creativity and expand your opportunities...

A NEW ERA FOR DTF MARKING

- **DTF TEXTILE BY THE METRE** (Size 100 x 57.50 cm)
  Discover our by-the-**metre** format... for even more freedom and flexibility

  (pages 6-7)

- **DTF TEXTILE –30%: LONG-TERM COST ADVANTAGES**
  Our DTF prices are reduced by 30%, with full transparency
  A lasting reduction, with no compromise on quality or lead times

  (pages 6-7)

- **STICKER UV DTF**
  OUR TEXTILE EXPERTISE NOW EXTENDS TO THE WORLD OF OBJECTS
  Bottles, mugs, pens, boxes, packaging… every item becomes unique!
  A simple, fast, cold manual application (no heat press required) for an impressive result

  (pages 8-9)

AND TO TAKE YOU EVEN FURTHER…

- **33 NEW WEEDING SHEET MATERIALS!**
  New textures, effects and colours to push the boundaries of your creativity
  -Pantone & Neon
  -Phosphorescent
  -Textured & Metallic (Carbon, Metal Pink, Mirror Gold/Silver)
  -Reflect & Reflect Hologram

  (pages 22-23)

- **SERIQUADRI AND SERIWHITE: NEW FORMAT A2 WASHABLE UP TO 72°C**
  Enjoy a new A2 format for your white screen-printed SeriWhite transfers
  Seriquadri & Seriwhite transfers are now resistant to industrial care conditions

  (pages 10-11, 16-17)

- **EXPANDED CHOICE OF DELIVERY PARTNERS: DHL, FEDEX**
  You can now choose delivery to a pick-up point.
  An additional option offering greater flexibility, helping you select the solution that best suits your workflow.
  Parcel collection points available for: United Kingdom, Ireland, Poland, the Czech Republic, Slovakia, the Netherlands, Denmark & Sweden.



*Up to a limit of 80€ excl tax

pmt boutique

OUR STANDARD PRODUCTS SHOP

(pages 24-25)

> STANDARD TRANSFERS

Discover our packs of 10 identical heat-applied transfers, ready to press, tailored to your industry and compliant with current standards, **one click, one press… and you're done!**

Choice of markings available in various colours:

-SECURITY
-COACH
-STAFF
-VISITOR

Sold in set of 10 identical transfers.

> PROTECTIVE POUCHES

Our transparent heat-applied pouchers offer an innovative solution that ensures excellent visibility while protecting your identification elements.

-ID badge holders (2 models)
-Badge holder
-Bib holder

Whether used as a race-number holder, an agent ID holder or a badge holder, each model allows you to insert your information easily, for a durable and professional finish.

Sold in set of 10 identical holders.

Pages	Index
	DTF-MARKING
6-7	• DTF
8-9	• UV-DTF-STICKERS
	SCREEN-PRINTED TRANSFERS
	FOUR COLOUR TRANSFERS
10-11	• SeriQuadri
12-13	• SubliStop
14-15	• SeriLight
	MONOCHROME TRANSFERS
16-17	• SeriWhite
18-19	• SeriOne
20-21	• SeriFlock
	LASER CUT TRANSFERS
22-23	• Wedding board
24-25	**PMT-BOUTIQUE**
	• Standard transfers
	• Protective pouches

DTF Transfer





With half a century of experience in textile transfers, our expert R&D team have developed and refined a DTF process offering superior quality transfers.

The result is an optimal quality of transfer with bright colours and deeply opaque white on both dark and light textiles, with no undesired outlines or overruns.

Our fabrication process offers you the means to create incredibly precise and fine detailing down to **0.3mm**!

DTF transfers are delivered ready to aplly formats from **A2** to **A6**, and now also in **1-metre** sheets.

DTF transfer (Direct-To-Film)

- Four-colour printing on transparent backing paper
- Printing of fine details, thin lines and colour gradients
- No undesired outlines or overruns
- Flame-retardant transfer certified ISO EN-15025
- OEKO-TEX® certified

ADVANTAGES

- Deeply opaque white
- Printing detail down to 0.3mm
- Fire resistant and elastic
- Suitable for light and dark fabrics
- Washable at 60°C
- Order from 1 sheet
- Provided ready-to-apply on transparent film

• APPLYING TRANSFERS

COTTON
> 160°C, 15 Sec. ,Hot or Cold peel

POLYAMIDE / POLYESTER / OTHERS...
> 140-160°C, 15-25 Sec. ,Hot or Cold peel

• WASHING INSTRUCTION

60°

• CERTIFICATIONS

OEKO TEX® STANDARD 100 CQ 580/2 IFTH

EN ISO 15025

LEAD TIMES

STANDARD LEAD TIMES

D+1/2 working days
(Depending on quantity and production capacity)

FAST MANUFACTURING OPTION

> D+O DTF: **same-day shipping**
(For an order placed between 1 am and 12 am)

Check real-time production lead times in your customer account under "*Our leadtime*"

A2 SHEET CUTTING OPTION

> Select your preferred cut lines when placing your order online

> **A2-Cut** templates to download

Recommended by our customers

EVENT FASHION SPORT

FOR WHICH TEXTILE SUBSTRATES?

Our DTF transfers can be used on the majority of traditional textiles, both dark and light.

Light weight clothing and accessories in cotton, polyester, lycra:
> T-shirts, sweat shirts, polo tops, tote bags…

FORMATS

- **1 Metre** 57.5 x 100cm
- **A2** 42 x 57.5cm
- **A3** 42 x 28cm
- **A4** 28 x 20.2cm
- **A5** 20.2 x 13.2cm
- **A6** 13.2 x 9.3cm

Templates available for download under:
"*How does it work > Preparing your files & artworks*"

NEW PRICING -30%

SHEET PRICES Excluding tax

NEW

NUMBER of SHEETS 1 Metre	PRICE per SHEET 1 Metre	NUMBER of SHEETS A2	PRICE per SHEET A2	NUMBER of SHEETS A3	PRICE per SHEET A3	NUMBER of SHEETS A4	PRICE per SHEET A4	NUMBER of SHEETS A5	PRICE per SHEET A5	NUMBER of SHEETS A6	PRICE per SHEET A6
1	19.60	1	9.80	2	5.49	4	2.86	8	1.45	16	0.77
2	19.04	2	9.52	4	5.14	8	2.82	16	1.38	32	0.73
3	18.20	3	9.10	6	4.87	12	2.48	24	1.29	48	0.68
4	17.22	4	8.61	8	4.61	16	2.35	32	1.22	64	0.64
5	16.94	5	8.47	10	4.53	20	2.31	40	1.20	80	0.63
6	16.52	6	8.26	12	4.36	24	2.23	48	1.16	96	0.60
7	16.24	7	8.12	14	4.28	28	2.19	56	1.14	112	0.59
8	15.82	8	7.91	16	4.17	32	2.14	64	1.11	128	0.58
9	15.40	9	7.70	18	4.06	36	2.08	72	1.08	144	0.56
10	15.12	10	7.56	20	3.99	40	2.04	80	1.05	160	0.55
11	14.84	11	7.42	22	3.90	44	1.99	88	1.02	176	0.54
12	14.42	12	7.21	24	3.79	48	1.93	96	0.99	192	0.52
13	14.14	13	7.07	26	3.72	52	1.90	104	0.98	208	0.51
14	13.86	14	6.93	28	3.64	56	1.86	112	0.95	224	0.50
15	13.58	15	6.79	30	3.57	60	1.82	120	0.93	240	0.49
16	13.30	16	6.65	32	3.50	64	1.79	128	0.91	256	0.48
17	12.88	17	6.44	34	3.43	68	1.75	136	0.88	272	0.46
18	12.60	18	6.30	36	3.29	72	1.68	144	0.88	288	0.45
19	12.32	19	6.16	38	3.22	76	1.64	152	0.86	304	0.43
20-29	12.04	20-29	6.02	40-58	3.15	80-116	1.60	160-232	0.84	320-464	0.43
30-39	12.04	30-39	5.60	60-78	2.94	120-156	1.51	240-312	0.81	480-624	0.40
40-49	12.04	40-49	5.25	80-98	2.73	160-196	1.40	320-392	0.70	640-784	0.33
50-59	12.04	50-59	4.90	100-118	2.52	200-236	1.26	400-472	0.67	800-944	0.30
60-69	12.04	60-69	4.55	120-138	2.31	240-276	1.19	480-552	0.63	960-1104	0.28
70-79	12.04	70-79	4.20	140-158	2.17	280-316	1.12	560-632	0.60	1120-1264	0.27
80-89	12.04	80-89	3.85	160-178	2.10	320-356	1.09	640-712	0.56	1280-1424	0.27
90-99	12.04	90-99	3.50	180-198	1.96	360-396	1.02	720-792	0.50	1440-1584	0.25
⩾100*	12.04	⩾100*	3.36	⩾200*	1.75	⩾400*	0.91	⩾800*	0.46	⩾1600*	0.24
Single sheet orders		Single sheet orders		Orders in multiples of **2** sheets		Orders in multiples of **4** sheets		Orders in multiples of **8** sheets		Orders in multiples of **16** sheets	

* **For larger quantities:** leadtime to be specified by our sales team

UV DTF STICKERS





UV DTF adhesive for hard surface

- Four-colour printing with protective varnish layer
- Fine detailing down to 0.7 mm
- Cold application with squeegee
- Object-based communication

ADVANTAGES

- Real visual impact
- Sharp finish with subtle raised effect
- Excellent adhesion
- Opaque and durable
- Quick and easy application
- Supplied ready to apply

Enhance your products with UV DTF:
a versatile, high-impact personalisation solution combining simplicity and performance

Ready-to-use stickers apply cold, without heat press or drying time, on a wide variety of surfaces.
Four-colour printing with protective varnish allows reproduction of even the most intricate logos (down to 0.7 mm precision), delivering a striking 3D effect.

In just a few seconds, bring your creations to life with sharp, vibrant colours.
Ideal for visual communication, personalised items, packaging and signage.

LEAD TIMES

STANDARD LEAD TIMES

D+1/4 working days
(Depending on quantity and production capacity)

Check real-time production lead times in your customer account under "*Our leadtime*"

FOR WHICH TYPE OF SURFACES?

Smooth or lightly textured rigid or semi-rigid materials such as:

> bottles, boxes, mugs, pens, display units, varnished wood, coated cardboard, PVC, plastics, glass, metal, ceramics.

Not suitable for flexible or textile surfaces.

SHEET PRICES Excluding tax

NUMBER of SHEETS A2	PRICE per SHEET A2	NUMBER of SHEETS A3	PRICE per SHEET A3	NUMBER of SHEETS A4	PRICE per SHEET A4	NUMBER of SHEETS A5	PRICE per SHEET A5	NUMBER of SHEETS A6	PRICE per SHEET A6
1	11.89	2	6.43	4	3.99	8	2.62	16	1.45
2	11.65	4	6.29	8	3.82	16	2.15	32	1.18
3	11.53	6	6.17	12	3.66	24	2.05	48	1.12
4	11.41	8	6.03	16	3.50	32	1.96	64	1.08
5	11.29	10	5.91	20	3.37	40	1.88	80	1.03
6	11.17	12	5.78	24	3.34	48	1.87	96	1.03
7	11.05	14	5.64	28	3.32	56	1.85	112	1.02
8	10.94	16	5.51	32	3.22	64	1.82	128	1
9	10.82	18	5.48	36	3.13	72	1.75	144	0.96
10-19	10.70	20-38	5.45	40-76	3.10	80-152	1.73	160-304	0.95
20-49	9.51	40-98	4.85	80-196	2.99	160-392	1.67	320-784	0.92
50 ★	8.56	100 ★	4.66	200 ★	2.90	400 ★	1.63	800 ★	0.89
Single sheet orders		Orders in multiples of **2** sheets		Orders in multiples of **4** sheets		Orders in multiples of **8** sheets		Orders in multiples of **16** sheets	

★ **For larger quantities:**
Prices available on request from the sales department
assistance@printmytransfer.com

APPLICATION GUIDELINE

- Clean the surface
- Gently peel the sticker from its backing
- Position starting from the lower edge
- Apply pressure using a squeegee
- Remove top film from bottom to top between 2-15 minutes after application
- Wait 48 hours before use for optimal adhesion
- Recommended application within 3-6 months of production

ADVICE

Hand wash only

FORMATS: FROM A6 TO A2

- **A6** 13.2 x 9.3cm
- **A5** 20.2 x 13.2cm
- **A4** 28 x 20.2cm
- **A3** 42 x 28cm
- **A2** 42 x 57.5cm

Templates available for download under:
"*How does it work > Preparing your files & artworks*"

Offset screen-printing

SeriQuadri



Offset + Screen Printing Transfer

- Transfer combining offset printing and traditional screen-printing
- Satin finish
- Unlimited number of colours
- Flame-retardant transfer certified ISO EN-15025
- OEKO-TEX & REACH certified
- Free of PVC, phthalate and BPA

ADVANTAGES

- Reinforced covering
- Printing of complicated designs, fine details and colour gradients
- Fire resistant
- Very elastic
- Washable at72°C
- Provided ready-to-apply

SeriQuadri is a CMYK screen-printed transfer born of the union between offset printing and traditional screen-printing.
Offset offers a photo-quality printing and an unlimited number of colours.

These multi-colour transfers are created with an opaque white undercoat and a transparent powder glue coat for enhanced elasticity.
The glue in overflow makes application easy and ensures high washing resistance.

SeriQuadri fire proofing limits the spread of flames, in compliance with NF EN ISO-15025.

OPTIONS

MANUFACTURING OPTION

> **SPECIAL COLOURS, FLUORESCENTS, METAL AND GLITTER**
Available upon request to our sales team

> **LOW TEMPERATURE GLUE**
For heat-sensitive textiles and synthetics
(+**15%** on the transfer price)

Available online

APPLYING TRANSFER
85-110°C, 8-15 Sec., Cold peel

LEAD TIMES

STANDARD LEAD TIMES

D+3/5 working days
(Depending on quantity and production capacity)

FAST MANUFACTURING OPTIONS

> **24 H RUSH D+1**
(Next day dispatch for all orders placed from 1am to 3pm)

> **48H EXPRESS D+2**
(Shipments within two working days for all orders placed between 9am and 11pm)

Check real-time production lead times in your customer account under "*Our leadtime*"

• APPLYING TRANSFERS

COTTON
> 170-180°C, 8-10 Sec., Cold peel

POLYAMIDE / POLYESTER / OTHERS
> 130-140°C, 20-25 Sec., Cold peel

• WASHING INSTRUCTION

72°

• CERTIFICATIONS

OEKO TEX® STANDARD 100 CQ 580/2 IFTH
EN ISO 15025
PVC FREE
BPA& Phthalate free
REACH COMPLIANCE

Recommended by our customers PPE SPORT FASHION

FOR WHICH TEXTILE SUBSTRATES?

SeriQuadri can be used on many types of fabric, light and dark.
Light weight clothing: T-shirts, vests, polo shirts...
Technical clothing and PPE
> coats, wind cheaters, bodywarmer...
Accessories / Luggage
> tote-bags, umbrellas, caps, scarves, bags...

SHEET PRICES Excluding tax

NUMBER of SHEETS	SHEET SIZE PRICE per SHEET						
▼	A8	A7	A6	A5	A4	A3	A2
10-19	1.32	1.71	2.39	3.60	5.75	9.78	
20-29	0.88	1.22	1.85	2.95	5.01	6.14	
30-39	0.75	1.05	1.58	2.52	4.29	4.98	9.95
40-49	0.59	0.88	1.40	2.38	2.92	3.59	7.19
50-59	0.55	0.83	1.30	2.23	2.69	3.24	6.49
60-69	0.50	0.75	1.20	2.05	2.37	3.01	6.04
70-79	0.46	0.72	1.18	1.73	1.99	2.89	5.79
80-89	0.41	0.67	1.07	1.39	1.71	2.77	5.54
90-99	0.40	0.63	0.95	1.34	1.63	2.66	5.34
100-149	0.39	0.61	0.85	1.28	1.54	2.54	5.09
150-199	0.33	0.55	0.66	0.81	1.32	2.31	4.63
200-249	0.29	0.45	0.61	0.73	1.21	2.19	4.39
250-299	0.26	0.40	0.47	0.67	1.17	2.03	4.06
300-499	0.20	0.25	0.35	0.57	0.94	1.58	3.17
500-999	0.16	0.20	0.26	0.40	0.66	1.11	2.22
1 000-2 999	0.15	0.16	0.23	0.35	0.55	0.94	1.87
3 000-5 999	0.14	0.15	0.22	0.33	0.52	0.90	1.79
6 000-9 999	0.13	0.14	0.20	0.31	0.49	0.82	1.65
10 000-20 000	0.12	0.13	0.19	0.29	0.47	0.81	1.61

+20 000
Upon request to our sales team

FORMATS: FROM A8 TO A2

- **A8** 3.6 x 5.8cm
- **A7** 5.8 x 8.9cm
- **A6** 8.9 x 13.2cm
- **A5** 13.2 x 19.4cm
- **A4** 19.4 x 28.1cm
- **A3** 28.1 x 40.4cm
- **A2** 40.4 x 57.8cm NEW

Templates available for download under:
"*How does it work > Preparing your files & artworks*"

Offset screen-printing - Anti-migration

SubliStop



Offset + Screen Printing Transfer

- Transfer combining offset printing and traditional screen-printing
- Unlimited number of colours
- Special ink technology blocking dye migration from sublimated fabrics
- Matt finish/ Super opaque transfer
- OEKO-TEX & REACH certified
- Free of PVC, phthalate and BPA

ADVANTAGES

- Prevents colour bleeding
- Colour protection
- High covering capacity
- Washable at 60°C
- Provided ready-to-apply

SubliStop is a four-color CMYK transfer technology specifically developed to prevent any colour bleeding.
This chemical phenomenon is due color bleeding to such as Softshell, polyester or other technical fabrics.

SubliStop is composed of specific ink layer that real acts like a special barrier to safeguard your transfer colors.

TIP!

Transfer colour tainting, due to textile colour bleeding, can take days or weeks after application to become visible.
It is therefore essential that you test your dyed textiles by following the instructions opposite.
Because of the wide diversity of textiles on the market, Printmytransfer cannot guarantee an optimal result on all fabrics.

A **test-transfer** is available upon request at assistance@printmytransfer.com or directly from your account.

LEAD TIMES

STANDARD LEAD TIMES

D+3/5 working days
(Depending on quantity and production capacity)

Check real-time production lead times in your customer account under "*Our leadtime*"





- **APPLYING TRANSFERS**

> 130°C, 25-30 Sec., Cold peel

- **WASHING INSTRUCTION**

60°

- **CERTIFICATIONS**

OEKO TEX® STANDARD 100 CO 580/2 IFTH
PVC FREE
BPA& Phthalate free
REACH COMPLIANCE

Recommended by our customers

PPE SPORT FASHION

FOR WHICH TEXTILE SUBSTRATES?

SubliStop can be used on any textile support, although it is targeted at Softshell clothing or coated polyester.

Coated polyester or softshell clothing: coats, trousers, basketball jerseys, cycling wear, football jerseys...

SHEET PRICES Excluding tax

NUMBER of SHEETS	SHEET SIZE PRICE per SHEET					
▼	A8	A7	A6	A5	A4	A3
10-19	1.98	2.57	3.59	5.39	8.63	14.66
20-29	1.32	1.85	2.76	4.42	7.52	9.20
30-39	1.12	1.58	2.37	3.80	6.44	7.47
40-49	0.88	1.32	2.11	3.59	4.39	5.38
50-59	0.82	1.24	1.94	3.33	4.03	4.86
60-69	0.75	1.12	1.80	3.07	3.55	4.51
70-79	0.70	1.08	1.77	2.59	2.98	4.35
80-89	0.63	1.00	1.59	2.09	2.55	4.17
90-99	0.61	0.96	1.42	2.01	2.46	4.00
100-149	0.58	0.90	1.23	1.86	2.24	3.69
150-199	0.46	0.79	0.96	1.18	1.92	3.35
200-249	0.43	0.66	0.88	1.07	1.76	3.20
250-299	0.38	0.59	0.69	0.97	1.69	2.94
300-499	0.29	0.38	0.52	0.84	1.40	2.37
500-999	0.24	0.31	0.40	0.61	0.99	1.67
1 000-2 999	0.22	0.24	0.35	0.52	0.81	1.40
3 000-5 999	0.21	0.22	0.33	0.49	0.78	1.33
6 000-9 999	0.19	0.21	0.29	0.45	0.73	1.22
10 000-20 000	0.17	0.19	0.27	0.43	0.71	1.21

+20 000
Upon request to our sales team

FORMATS: FROM A8 TO A3

- **A8** 3.6 x 5.8cm
- **A7** 5.8 x 8.9cm
- **A6** 8.9 x 13.2cm
- **A5** 13.2 x 19.4cm
- **A4** 19.4 x 28.1cm
- **A3** 28.1 x 40.4cm

Templates available for download under:
"*How does it work > Preparing your files & artworks*"

Offset screen-printing

SeriLight





Offset + Screen Printing Transfer

- Transfer combining offset printing and traditional screen-printing
- Unlimited number of colours
- A fabric colour outline is added
- Flame-retardant transfer certified ISO EN-15025
- OEKO-TEX & REACH certified
- Free of PVC, phthalate and BPA

ADVANTAGES

- Printing of complicated designs, fine details and colour gradients
- Fine touch
- Fire resistant
- Elastic
- Washable at 60°C
- Provided ready-to-apply

SeriLight is a CMYK screen-printed transfer technology combining offset printing and traditional screen-printing. It offers photo-quality printing with an unlimited range of colors.

An outline with the same colour as the textile support is automatically added to enable fine detailing. This budget transfer has no glue edging.

SeriLight fire proofing limits the spread of flames, in compliance with NF EN ISO-15025

LEAD TIMES

STANDARD LEAD TIMES

D+3/5 working days
(Depending on quantity and production capacity)

Check real-time production lead times in your customer account under "*Our leadtime*"



• APPLYING TRANSFERS

COTTON
> 170-180°C, 8-10 Sec., Cold peel

POLYAMIDE / POLYESTER / OTHERS...
> 130-140°C, 20-25 Sec., Cold peel

• WASHING INSTRUCTION

60°

• CERTIFICATIONS

OEKO TEX® STANDARD 100 CQ 580/2 IFTH

A EN ISO 15025

PVC FREE

BPA& Phthalate free

REACH COMPLIANCE

Recommended by our customers

EVENT FASHION

FOR WHICH TEXTILE SUBSTRATES?

SeriLight can be applied to all non-technical textiles, both light and dark.

Light clothing, cotton or polyester accessories:
> polo shirts, totebags, t-shirts, sweat shirts...

SHEET PRICES Excluding tax

NUMBER of SHEETS ▼	SHEET SIZE PRICE per SHEET A8	A7	A6	A5	A4	A3	A2
10-19	1.16	1.51	2.11	3.17	5.06	8.61	
20-29	0.71	0.98	1.47	2.36	4.01	4.90	
30-39	0.60	0.84	1.27	2.01	3.44	3.99	
40-49	0.47	0.71	1.12	1.91	2.33	2.87	
50-59	0.44	0.66	1.04	1.78	2.15	2.59	3.84
60-69	0.39	0.60	0.96	1.65	1.90	2.40	3.70
70-79	0.37	0.58	0.94	1.38	1.59	2.31	3.63
80-89	0.34	0.53	0.84	1.11	1.36	2.23	3.46
90-99	0.33	0.51	0.76	1.08	1.31	2.13	3.39
100-149	0.32	0.49	0.69	1.02	1.22	2.04	3.35
150-199	0.27	0.47	0.58	0.71	1.16	2.01	3.24
200-249	0.25	0.39	0.53	0.63	1.07	1.93	3.17
250-299	0.23	0.36	0.41	0.59	1.02	1.78	2.77
300-499	0.16	0.22	0.31	0.50	0.82	1.39	2.34
500-999	0.14	0.17	0.23	0.36	0.58	0.97	1.51
1 000-2 999	0.13	0.14	0.20	0.29	0.46	0.79	1.33
3 000-5 999	0.12	0.13	0.19	0.27	0.45	0.78	1.26
6 000-9 999	0.11	0.12	0.17	0.26	0.43	0.72	1.09
10 000-20 000	0.09	0.11	0.16	0.25	0.41	0.71	1.04

+20 000
Upon request to our sales team

FORMATS: FROM A8 TO A2

- **A8** 3.6 x 5.8cm
- **A7** 5.8 x 8.9cm
- **A6** 8.9 x 13.2cm
- **A5** 13.2 x 19.4cm
- **A4** 19.4 x 28.1cm
- **A3** 28.1 x 40.4cm
- **A2** 40.4 x 57.8cm

Templates available for download under:
"*How does it work > Preparing your files & artworks*"

Screen-printed transfer - Intense white monochrome

SeriWhite



SeriWhite is an opaque, highly elastic, white monochrome transfer technology using a transparent base coat. It provides reinforced coverage and the glue edging ensures easy application even with fine detailing.

New **A2 format**, available from 30 sheets.

SeriWhite fire proofing limits the spread of flames, in compliance with **NF EN ISO-15025**.

Screen-printed transfer

- High quality marking
- Flame-retardant transfer certified ISO EN-15025
- OEKO-TEX & REACH certified
- Free of PVC, phthalate and BPA

ADVANTAGES

- Intense satin white
- Detail and fine line printing
- Fire resistant
- Very elastic
- Washable at 72°C
- Provided ready-to-apply

LEAD TIMES

STANDARD LEAD TIMES

D+3/5 working days
(Depending on quantity and production capacity)

FAST MANUFACTURING OPTIONS

> **24 H RUSH D+1**
(Next day dispatch for all orders placed from 1am to 3pm)

> **48H EXPRESS D+2**
(Shipments within two working days for all orders placed between 9am and 11pm)

Check real-time production lead times in your customer account under "*Our leadtime*"



• APPLYING TRANSFERS

COTTON
> 170-180°C, 8-10 Sec., Cold peel

POLYAMIDE / POLYESTER / OTHERS...
> 130-140°C, 20-25 Sec., Cold peel

• WASHING INSTRUCTION

• CERTIFICATIONS

OEKO TEX® STANDARD 100 CQ 580/2 IFTH · EN ISO 15025 · PVC FREE · BPA& Phthalate free · REACH COMPLIANCE

Recommended by our customers PPE · SPORT · FASHION

FOR WHICH TEXTILE SUBSTRATES?

SeriWhite is compatible with many textile supports, including technical fabrics.

Light weight clothing
>sports shirts, jerseys, T-shirts...
Outdoor clothing
> coats, wind cheaters, bodywarmer...
Accessories / Luggage
> bags, caps, umbrellas...

SHEET PRICES Excluding tax

NUMBER of SHEETS	SHEET SIZE PRICE per SHEET						
▼	A8	A7	A6	A5	A4	A3	A2
10-19	1.19	1.54	2.15	3.24	5.18	8.80	
20-29	0.78	1.08	1.62	2.60	4.41	5.39	
30-39	0.67	0.93	1.40	2.22	3.78	4.38	8.76
40-49	0.52	0.78	1.23	2.10	2.57	3.16	6.32
50-59	0.48	0.73	1.14	1.95	2.36	2.85	5.70
60-69	0.44	0.67	1.06	1.80	2.09	2.65	5.30
70-79	0.40	0.63	1.04	1.52	1.75	2.54	5.08
80-89	0.37	0.59	0.94	1.22	1.51	2.45	4.90
90-99	0.36	0.56	0.83	1.18	1.44	2.35	4.70
100-149	0.35	0.53	0.75	1.12	1.35	2.24	4.48
150-199	0.28	0.49	0.59	0.73	1.19	2.09	4.18
200-249	0.26	0.40	0.56	0.66	1.09	1.98	3.96
250-299	0.24	0.37	0.43	0.60	1.05	1.82	3.64
300-499	0.17	0.23	0.32	0.51	0.84	1.42	2.84
500-999	0.15	0.19	0.24	0.37	0.59	0.99	1.98
1 000-2 999	0.14	0.15	0.21	0.32	0.49	0.84	1.68
3 000-5 999	0.13	0.14	0.20	0.29	0.46	0.80	1.60
6 000-9 999	0.12	0.13	0.19	0.27	0.44	0.74	1.48
10 000-20 000	0.11	0.12	0.17	0.26	0.43	0.73	1.46

+20 000
Upon request to our sales team

FORMATS: FROM A8 TO A2

- **A8** 3.6 x 5.8cm
- **A7** 5.8 x 8.9cm
- **A6** 8.9 x 13.2cm
- **A5** 13.2 x 19.4cm
- **A4** 19.4 x 28.1cm
- **A3** 28.1 x 40.4cm
- **A2** 40.4 x 57.8cm NEW

Templates available for download under:
"*How does it work > Preparing your files & artworks*"

Screen-printed transfer - One-color

SeriOne

SeriOne white and SeriOne color



TRANSPARENT PAPER OPTION





Screen-printed transfer

- Without glue overflow
- OEKO-TEX & REACH certified
- Free of PVC, phthalate and BPA

ADVANTAGES

- Elegant finishes stages and clear details (0.3 mm max)
- Fine touch
- Elastic
- Washable at 60°C for SeriOne colour
- Transparent paper as an option
- Provided ready-to-apply

SeriOne is a single colour screen-printed transfer.
It is produced entirely using traditional screen-printing techniques.

Its highly opaque ink allows application on any fabric colour.
Precise detail, soft and lightweight feel.

Select from the range of 20 Pantone colours, including 3 metallic colours at the same price.

BLACK	**PINK** Pantone 212c	**LIGHT BLUE** Pantone 291c	**LIGHT GREEN** Pantone 3561c	**SILVER** Pantone 877u
WHITE	**LIGHT PINK** Pantone 1895c	**BLUE** Pantone 320c	**GREEN** Pantone 354c	**GOLD** Pantone 871u
YELLOW Pantone 108c	**PURPLE** Pantone 2592c	**PROCESS BLUE** Pant. Process Blue	**PINE GREEN** Pantone 341c	**COPPER** Pantone 876u
ORANGE Pantone 1645c	**BORDEAUX** Pantone 195c	**REFLEX BLUE** Pantone REFLEX	**LIGHT GREY** Pantone 428c	
RED Pantone 199c	**LIGHT BROWN** Pantone 721c	**NAVY** Pantone 2965c	**DARK GREY** Pantone 445c	

Colour swatches shown for reference only

OPTION

MANUFACTURING OPTION

> **PRINTING ON TRANSPARENT BACKING**
(**+15%** on the transfer price)
Available online
Application conditions identical to white backing paper version

LEAD TIMES

STANDARD LEAD TIMES

D+2/4 working days
(Depending on quantity and production capacity)

FAST MANUFACTURING OPTIONS

> **R4 H RUSH D+1**
(Next day dispatch for all orders placed from 1am to 12pm)
Available exclusively for:
SeriOne black on white backing paper
SeriOne white on white backing paper

Check real-time production lead times in your customer account under "*Our leadtime*"

• APPLYING TRANSFERS

COTTON
> 160°C, 8-10 Sec., Cold peel

POLYAMIDE / POLYESTER / OTHERS...
> 130-140°C, 20-25 Sec., Cold peel

• WASHING INSTRUCTION

60°

SeriOne white

40°

• CERTIFICATIONS

OEKO TEX® STANDARD 100 CQ 580/2 IFTH

PVC FREE

BPA& Phthalate free

REACH COMPLIANCE

Recommended by our customers

EVENT FASHION

FOR WHICH TEXTILE SUBSTRATES?

SeriOne is perfectly matched to traditional fabrics such as cotton or polyester, but is not always compatible with more technical supports such as nylon, baseball caps and wind-cheaters.

Light clothing, cotton or polyester accessories:
> t-shirt, sweat shirt, scarf.

SHEET PRICES Excluding tax*

NUMBER of SHEETS	SHEET SIZE PRICE per SHEET													
	A8+		A7+		A6+		A5+		A4+		A3+		A2+	
10-19	2.95	0.50	3.06	0.63	3.17	0.90	3.28	1.40	3.49	2.35	3.60	3.17		
20-29	2.24	0.36	2.29	0.50	2.46	0.76	2.73	1.22	2.84	2.07	3.24	2.95		
30-39	1.64	0.29	1.66	0.43	2.07	0.67	2.51	1.11	2.57	1.51	3.00	2.73		
40-49	1.20	0.24	1.22	0.36	1.47	0.58	1.51	0.99	1.62	1.41	2.84	2.57		
50-59	0.97	0.22	1.04	0.34	1.20	0.56	1.42	0.82	1.58	1.35	2.74	2.49	4.11	3.73
60-69	0.76	0.20	0.87	0.32	1.09	0.53	1.31	0.72	1.47	1.30	2.40	2.18	3.60	3.28
70-79	0.68	0.19	0.76	0.29	0.98	0.49	1.20	0.69	1.36	1.26	2.29	2.09	3.44	3.13
80-89	0.62	0.17	0.68	0.28	0.87	0.47	1.09	0.67	1.26	1.22	2.18	1.99	3.28	2.98
90-99	0.52	0.16	0.62	0.27	0.82	0.44	0.98	0.66	1.22	1.20	2.01	1.83	3.01	2.75
100-149	0.47	0.15	0.57	0.26	0.76	0.39	0.87	0.64	1.15	1.08	1.97	1.77	2.95	2.65
150-199	0.36	0.14	0.49	0.23	0.66	0.35	0.82	0.60	0.98	0.96	1.71	1.56	2.57	2.34
200-249	0.26	0.13	0.45	0.19	0.60	0.31	0.76	0.57	0.93	0.84	1.53	1.39	2.29	2.08
250-299	0.25	0.12	0.41	0.17	0.56	0.29	0.71	0.51	0.87	0.82	1.44	1.31	2.16	1.97
300-499	0.22	0.11	0.35	0.15	0.49	0.27	0.60	0.43	0.76	0.69	1.15	1.08	1.72	1.62
500-999	0.19	0.10	0.24	0.14	0.36	0.23	0.49	0.37	0.62	0.60	0.87	0.83	1.31	1.24
1 000-2 999	0.13	0.09	0.16	0.13	0.26	0.19	0.36	0.31	0.47	0.44	0.82	0.70	1.23	1.05
3 000-5 999	0.11	0.08	0.13	0.12	0.16	0.17	0.25	0.26	0.40	0.38	0.76	0.64	1.15	0.97
6 000-9 999	0.09	0.08	0.12	0.11	0.15	0.16	0.24	0.24	0.39	0.37	0.69	0.62	1.03	0.93
10 000-20 000	0.08	0.07	0.11	0.10	0.14	0.15	0.23	0.23	0.37	0.36	0.64	0.61	0.97	0.92
		*		*		*		*		*		*		*

Price for SeriOne White

+20 000
Upon request to our sales team

***Transparent paper option +15% on the transfer price**

FORMATS: FROM A8+ TO A2+

- **A8+** 4.4 x 6cm
- **A7+** 6 x 10.4cm
- **A6+** 10.4 x 14.45cm
- **A5+** 14.45 x 23.2cm
- **A4+** 23.2 x 30.5cm
- **A3+** 30.5 x 48cm
- **A2+** 48 x 67cm

Templates available for download under:
"*How does it work > Preparing your files & artworks*"

Screen-printed transfer - Velvet effect

SeriFlock



SeriFlock is a uniform monochrome screen-printed transfer with a soft velvet effect finish.
Its elegance adds a pleasing high quality aesthetic to your textiles.

The textured finish showcases your logos and sponsors, and is a branding technique much appreciated for its impact in the sports and marketing fields.

SeriFlock is available in 13 colours.

BLACK L700	**ANTHRACITE GREY** L780 Pantone 4287c	**GREY** L011 Pant. CoolGray10c	**WHITE** L001	
NAVY L350 Pantone 282c	**BLUE** L300 Pantone 2747c	**INTENSE BLUE** L320 Pantone 287c	**LIGHT BLUE** L015 Pantone 630c	**DARK GREEN** L400 Pantone 3425c
DEEP RED L200 Pantone 200c	**RED** L210 Pantone 199c	**GOLDEN YELLOW** L110 Pantone 2010c	**YELLOW** L100 Pantone 109c	

Colour swatches shown for reference only

Screen-printed transfer

- Velvet effect finish
- Opaque
- OEKO-TEX & REACH certified
- Free of PVC, phthalate and BPA

ADVANTAGES

- Relief effect
- Soft touch
- Provided ready-to-apply

LEAD TIMES

STANDARD LEAD TIMES

D+5 working days
(Depending on quantity and production capacity)

Check real-time production lead times in your customer account under "*Our leadtime*"



• APPLYING TRANSFERS

COTTON
> 160-170°C, 8-10 Sec., Cold peel

POLYAMIDE / POLYESTER /OTHERS...
> 130-140°C, 20-25 Sec., Cold peel

• WASHING INSTRUCTION

40°

• CERTIFICATIONS

SeriFlock Colours — OEKO TEX® CQ 580/2 IFTH — STANDARD 100

SeriFlock White L001 — OEKO TEX® CQ 580/4 IFTH — STANDARD 100

PVC FREE · BPA& Phthalate free · REACH COMPLIANCE

Recommended by our customers EVENT · FASHION · SPORT

FOR WHICH TEXTILE SUBSTRATES?

SeriFlock is entirely compatible with traditional fabrics such as polyester or cotton, but may not work as well with more technical fabrics such as nylon or weather-proofed textiles...

Light clothing, cotton or polyester accessories
> t-shirt, scarf , sweat shirt...

SHEET PRICES Excluding tax

NUMBER of SHEETS	FORMATS PRICE per SHEET		
▼	FullSheet	HalfSheet	Quarter sheet *
10-19	**18.00**	**9.75**	
20-29	16.85	8.71	4.49
30-39	13.10	6.83	3.85
40-49	11.24	5.90	3.37
50-59	10.11	5.34	3.10
60-69	9.37	4.97	2.92
70-79	8.83	4.70	2.78
80-89	8.43	4.49	2.67
90-99	8.11	4.34	2.60
100-149	7.87	4.22	2.53
150-199	7.12	3.85	2.35
200-249	6.74	3.66	2.25
250-299	6.64	3.56	2.15
300-399	6.54	3.46	2.05
400-499	6.44	3.36	1.95
500-599	6.34	3.26	1.85
⩾600	6.24	3.16	1.75

***Quartersheet format**
Available for SeriFlock White L001 and Black L700

FORMATS

- **FullSheet** 47.2 x 66.7cm
- **HalfSheet** 47 x 31.7cm
- **Quartersheet** 22.8 x 31.7cm

Templates available for download under:
"*How does it work > Preparing your files & artworks*"

Laser Cut transfer - Weeding board

Pre-cut sheets





Laser Cut Transfer

- Laser pre-cut directly into the material
- Board to weed upon receipt
- OEKO-TEX & REACH certified
- Free of PVC, phthalate and BPA

ADVANTAGES

- Clean and precise contours
- 3D relief materials with a thickness of 0.6 mm
- Very sturdy
- High covering capacity
- Easy weeding
- Washable at 60°C

Pre-cut transfers in 23x40cm sheet format.
Precision laser cutting ensures clean, sharp contours and high-end detailing.
Simplified weeding process saves valuable production time

38 material options available:
- 14 **Pantone® shades** (bespoke colours on request)
- 4 **fluorescent** shades
- 5 **phosphorescent** glow-in-the-dark materials
- 8 **retro-reflective** materials (Silver Reflect D301 compliant with ISO EN-20471 high-visibility standard)
- 4 **Textured & Metallic** finishes
- 3 raised **3D** materials (0.6 mm thickness)

PANTONE 1

MATT WHITE	D213
MATT BLACK	D314
PANT® 199C	2002R
PANT® 021C	2013O
PANT® YELLOW C	2008JA
PANT® 213C	2014R
PANT® 348C	2012VE
PANT® 2297C	2018VE
COOL GRAY 11C	2001G
PANT® 877U	2010AG

PANTONE 1

PANT® 420C	2019G
PANT® 655C	2016B
PANT® 072C	2015B
PANT® 325C	2057VE

FLUORESCENT 1

FLUO GREEN	D306
FLUO ORANGE	D307
FLUO PINK	D308
FLUO YELLOW	D309

PHOSPHORESCENT 2

62 FLUO YELLOW	D803
62 FLUO GREEN	D804
62 FLUO ORANGE	D805
LIME GREEN	D806
62 BLUE	D807

TEXTURED & METALLIC

CARBON 1	D103
METAL PINK 3	D106
MIRROR SILVER 3	D204
MIRROR GOLD 3	D205

RETRO-REFLECTIVE

500 SILVER	D301 Reflect 3
150 WHITE	D304 Reflect 4
240 DARK BLACK	D305 Reflect 1
110 HOLOGRAM	D311 Reflect 1
200 RASPBERRY	D315 Reflect 1
240 YELLOW	D317 Reflect 1
240 GREEN	D318 Reflect 1
240 NEON BLUE	D320 Reflect 1

3D 5

3D BLACK	D500
3D WHITE	D501
480 3D REFLECT	D502

500 500 Candela
>Reflectivity index

Colour swatches shown for reference only

OPTION

MANUFACTURING OPTION

> SUBLISTOP ANTI-MIGRATION

Prevents colour alteration on sublimated fabrics such as softshell and polyester.

Option available for shades:
Pantone White **D213**, Grey **2010AG**,
Fluorescent yellow **D309**, Reflective white **D304**.

Available upon request to our sales team

LEAD TIMES

STANDARD LEAD TIMES

D+5 working days
(Depending on quantity and production capacity)

Check real-time production lead times in your customer account under "*Our leadtime*"

• APPLICATION CONDITIONS (VARY BY MATERIAL)

1 > 150-170°C, 10-20 Sec., Hot peel
2 > 150-170°C, 10-15 Sec., Cold peel
3 > 140°C, 15 Sec., Cold peel
4 > 140-150°C, 15 Sec., Hot peel
5 > Pre-heat garment at 170-180°C for 5-10 Sec.
> Press at 170-180°C for 15-20 Sec., Cold peel

• WASHING INSTRUCTION

60°

• CERTIFICATIONS

EN ISO 15025 A

3D REFLECT SILVER D502
SILVER D301 REFLECT
WHITE D304 REFLECT
FLAME-RETARDANT TRANSFER CERTIFIED
ISO EN-15025

SILVER D301 REFLECT
HIGH VISIBILITY ISO EN-20471

OEKO TEX® STANDARD 100 CQ 580/2 IFTH

PVC FREE

BPA& Phthalate free

REACH COMPLIANCE

Recommended by our customers

PPE FASHION SPORT

FOR WHICH TEXTILE SUBSTRATES?

Laser-cut transfers are suitable for all types of light or dark coloured textiles (polyester, elastane, cotton, etc.), including sublimated fabrics with the Sublistop option.

Light weight clothing
Technical clothing and PPE
Accessories / Luggage

SHEET PRICES Excluding tax *

NUMBER of SHEETS	Sheet (Surface area 23 x 40cm) PRICE per SHEET
5-9	10
10-19	8
20-49	6
50-100	5

+100
Upon request to our sales team

***+ 20% surcharge for the SubliStop anti-migration option**

FORMAT: 23X40CM

Template available for download under:
"*How does it work > Preparing your files & artworks*"



Ready-to-apply Laser Cut transfers

OUR STANDARD PRODUCTS





Laser Cut Transfer

- Laser cutting directly into the material
- OEKO-TEX & REACH certified
- Free of PVC, phthalate and BPA

ADVANTAGES

- Cutting with clean and precise contours
- Elastic and very sturdy
- High covering capacity
- Washable at 60°C
- Provided ready-to-apply

• CERTIFICATIONS

OEKO TEX® STANDARD 100 CQ 580/2 IFTH · PVC FREE · BPA& Phthalate free · REACH COMPLIANCE

ONLINE SELF-SERVICE

A fast, easy and professional solution for garment marking.
Our standard transfer range and protective pouches are available online, directly from our web-site:
printmytransfer >our marking techniques >standard items.

STANDARD-TRANSFERS

Designed for sectors such as security, leisure centres, sports and more, all compliant with relevant standards.
Laser cut & ready to press, these pre-weeded transfers provide a cost-effective, high-quality solution for immediate textile personalisation - no custom artwork required.

PACKAGING: Set of 10 identical transfers in the same colour.

PROTECTIVE POUCHES

Our in-house developed transparent protective pouches apply directly using a heat press.
No sewing or additional accessories required. In seconds, achieve a sharp and durable finish.

PACKAGING: Set of 10 identical holders.

• APPLYING TRANSFERS
STANDARD-TRANSFERS

SECURITY
> 140°C, 15 Sec., Hot peel

COACH-STAFF-VISITOR
> 150-170°C, 15-20 Sec., Hot peel

• APPLYING TRANSFERS
PROTECTIVE POUCHES

> 160°C, 15 Sec.,
Removing the protective film when cold

• WASHING INSTRUCTION
STANDARD-TRANSFERS
PROTECTIVE POUCHES

60°

pmt boutique NEW

STANDARD TRANSFERS

SECURITY (20x3 cm)

Retro-reflective white D304
+SubliStop (anti-migration)
Set of 10 transfers: **12€** excl tax

COACH (28x8,8 cm)

AVAILABLE COLOURS

STAFF (28x10,5 cm)

AVAILABLE COLOURS

VISITOR (23x5 cm)


AVAILABLE COLOURS

- BLACK
- SILVER Retro-reflective (High visibility ISO EN-20471)
- RED Pant199c
- BLUE Pant638c
- WHITE
- WHITE SubliStop Anti-Migration

Set of 10 identical transfers
Black, Red, Blue, White: **19,50€** excl tax
Silver Retro-reflective
White SubliStop: **22,50€** excl tax

TRANSPARENT PROTECTIVE POUCHES


ID HOLDERS




Law enforcement (1,8x6cm)
Set of 10 holders: **6,20€** excl tax

Private security (3x6,5cm)
Set of 10 holders: **6,80€** excl tax

BADGE HOLDER (6,5x9cm)
Set of 10 holders: **9,60€** excl tax



RACE BIB HOLDER (17x19cm)
Set of 10 holders: **49,70€** excl tax





Scan this QR-Code

TRANSFERS FOR PERSONALISING **TEXTILES & OBJECTS**



JOIN US ON OUR SOCIAL MEDIA

Discover our product innovations and event dates

Share your creations using #PrintMyTransfer